



# Medication for Opioid Use Disorder (MOUD): General Management

SYMPTOMATIC TREATMENT	
SYMPTOM	MEDICATION
Withdrawal	Ketamine Clonidine
Nausea	Ondansetron Prochlorperazine Metoclopramide
Stomach Cramps	Dicyclomine
Myalgias	Methocarbamol
Diarrhea	Loperamide
Anxiety	Lorazepam (PO) Gabapentin Quetiapine
Agitation	Haloperidol (IV) Olanzapine Quetiapine Lorazepam
Dyspepsia	Famotidine
Insomnia	Melatonin Trazodone




# High Dose Buprenorphine Induction: Emergency Management



SYMPTOMATIC TREATMENT	
SYMPTOM	MEDICATION
Withdrawal	Ketamine Clonidine
Nausea	Ondansetron Prochlorperazine Metoclopramide
Stomach Cramps	Dicyclomine
Myalgias	Methocarbamol
Diarrhea	Loperamide
Anxiety	Lorazepam (PO) Gabapentin Quetiapine
Agitation	Haloperidol (IV) Olanzapine Quetiapine Lorazepam
Dyspepsia	Famotidine
Insomnia	Melatonin Trazodone

# Low Barrier Methadone Induction: Emergency Management



SYMPTOMATIC TREATMENT	
SYMPTOM	MEDICATION
Withdrawal	Ketamine Clonidine
Nausea	Ondansetron Prochlorperazine Metoclopramide
Stomach Cramps	Dicyclomine
Myalgias	Methocarbamol
Diarrhea	Loperamide
Anxiety	Lorazepam (PO) Gabapentin Quetiapine
Agitation	Haloperidol (IV) Olanzapine Quetiapine Lorazepam
Dyspepsia	Famotidine
Insomnia	Melatonin Trazodone