

Greetings,

Thank you for choosing Valley Medical Center for your medical care. You are receiving this packet because you may be at a higher risk for slips, trips, stumbles or falls at home. It is never too early to start planning how to prevent falls. Begin your fall-prevention plan by making an appointment with your primary care doctor. Be prepared to answer questions such as:

- **What medications are you taking?** Make a list of your prescriptions, over-the-counter medications, and supplements to bring to your primary doctor appointment. Your doctor can review your medications for side effects and interactions that may increase your risk of falling.
- **Have you fallen before?** Write down the details, including when, where and how you fell. Be prepared to discuss instances when you slipped, tripped or stumbled but did not fall. Detailing events like these may help your doctor identify specific fall-prevention strategies.
- **Could your health conditions cause a fall?** Certain eye and ear disorders may increase your risk of falls. Be prepared to discuss your health conditions and how comfortable you are when you walk. For example, do you feel any dizziness, joint pain, shortness of breath, or numbness in your feet and legs when you walk?

Remember, falling is not a normal part of aging. The enclosed documents have helpful prevention tips, information, and home check-off sheets for you to use. I encourage you to review the enclosed information with a friend or family member. Please feel free to reach out to your primary care doctor or myself with any questions or comments.

Thank you,

Katherine Bendickson BSN, RN
Trauma Program Manager | Valley Medical Center
Katherine_Bendickson@valleymed.org
Office: 425.690.3034



Four Things You Can Do to Prevent Falls:

① **Speak up.**

Talk openly with your healthcare provider about fall risks and prevention. Ask your doctor or pharmacist to review your medicines.

② **Keep moving.**

Begin an exercise program to improve your leg strength and balance.

③ **Get an annual eye exam.**

Replace eyeglasses as needed.

④ **Make your home safer.**

Remove clutter and tripping hazards.

1 in 4 people 65 and older falls each year.

Learn More

Contact your local community or senior center for information on exercise, fall prevention programs, and options for improving home safety, or visit:

- go.usa.gov/xN9XA
- www.stopfalls.org



Stay Independent

Learn more about fall prevention.



For more information, visit www.cdc.gov/steady

This brochure was produced in collaboration with the following organizations: VA Greater Los Angeles Healthcare System, Geriatric Research Education & Clinical Center (GRECC), and the Fall Prevention Center of Excellence



Centers for Disease Control and Prevention
National Center for Injury Prevention and Control

STEADI

Check Your Risk for Falling

Circle “Yes” or “No” for each statement below			Why it matters
Yes (2)	No (0)	I have fallen in the past year.	People who have fallen once are likely to fall again.
Yes (2)	No (0)	I use or have been advised to use a cane or walker to get around safely.	People who have been advised to use a cane or walker may already be more likely to fall.
Yes (1)	No (0)	Sometimes I feel unsteady when I am walking.	Unsteadiness or needing support while walking are signs of poor balance.
Yes (1)	No (0)	I steady myself by holding onto furniture when walking at home.	This is also a sign of poor balance.
Yes (1)	No (0)	I am worried about falling.	People who are worried about falling are more likely to fall.
Yes (1)	No (0)	I need to push with my hands to stand up from a chair.	This is a sign of weak leg muscles, a major reason for falling.
Yes (1)	No (0)	I have some trouble stepping up onto a curb.	This is also a sign of weak leg muscles.
Yes (1)	No (0)	I often have to rush to the toilet.	Rushing to the bathroom, especially at night, increases your chance of falling.
Yes (1)	No (0)	I have lost some feeling in my feet.	Numbness in your feet can cause stumbles and lead to falls.
Yes (1)	No (0)	I take medicine that sometimes makes me feel light-headed or more tired than usual.	Side effects from medicines can sometimes increase your chance of falling.
Yes (1)	No (0)	I take medicine to help me sleep or improve my mood.	These medicines can sometimes increase your chance of falling.
Yes (1)	No (0)	I often feel sad or depressed.	Symptoms of depression, such as not feeling well or feeling slowed down, are linked to falls.
Total		Add up the number of points for each “yes” answer. If you scored 4 points or more, you may be at risk for falling.	

1 in 4 adults
now 65
will live to 90+

MyMobility Plan

What can you do to stay independent?

Many people make financial plans for retirement, but not everyone plans for other changes that may come with age. This includes changes in your mobility—your ability to get around.

It's not easy to talk about, but as we get older, physical changes can make it harder to get around and do things we want or need to do—like driving, shopping, or doing household chores.

There may be a time when you still need to get around, but can no longer drive.

You might not have mobility problems now, but you could in the future. You may even know others who already do—perhaps a parent, relative, friend, or neighbor. While it may not be possible to prevent all of these changes, there are actions you and your loved ones can take today, and as you age, to help keep you safe and independent tomorrow.

MySelf

A plan to stay independent



MyHome

A plan to stay safe at home



MyNeighborhood

A plan to stay mobile in my community



Centers for Disease Control and Prevention
National Center for Injury Prevention and Control

Make a plan today.
Stay independent tomorrow.



Staying healthy and managing chronic conditions help maintain your mobility.

To start building your plan, complete the checklist below.

Get a physical checkup each year.

Some health issues may increase your risk of falling (such as leg weakness and balance problems).

Last Exam Date: _____

Next Exam Date: _____

Get a medical eye exam each year.

Eye problems can increase your risk of falling or being in a car crash.

Last Exam Date: _____

Next Exam Date: _____

Review all your medicines with a doctor or pharmacist.

Certain medicines can have side effects that can change your ability to drive, walk, or get around safely.

To learn more, go to:

<https://go.usa.gov/xPADs>

MyMobility Tip 

Good eyesight is about more than 20/20 vision. For example, you need to see well in the dark to drive safely at night.

Get a medical eye exam each year and address any issues.

Follow a regular activity program to increase your strength and balance.

Strength and balance activities, done at least 3 times a week, can reduce your risk of falling. Other activities, like walking, are good for you, but don't help prevent falls. Visit the National Institute on Aging's website for suggestions:

www.go4life.nia.nih.gov/exercises

Strength Activity		Balance Activity	
Exercise	Start Date	Exercise	Start Date
<i>Chair stand</i>	<i>Next Monday</i>	<i>Tai Chi</i>	<i>Next Monday</i>



To continue your plan, schedule a time to go through the following home safety checklist to help prevent falls.

Check the FLOORS in each room and reduce tripping hazards:

- Keep objects off the floor.
- Remove or tape down rugs.
- Coil or tape cords and wires next to the wall and out of the way.

Check the KITCHEN:

- Put often-used items within easy reach (about waist level).
- For items not within easy reach, always use a step stool and never use a chair.

Check the BEDROOMS:

- Use bright light bulbs.
- Place lamps close to the bed where they are within reach.
- Put in night-lights to be able to see a path in the dark. For areas that don't have electrical outlets, consider battery-operated lights.

Check inside and outside STAIRS and STEPS:

- Check for loose or uneven steps. Repair if needed.
- Make sure carpet is firmly attached to every step, or remove carpet and attach non-slip rubber treads.
- Check for loose or broken handrails. Repair if needed.
- Consider installing handrails on both sides of the stairs.
- Use bright overhead lighting at the top and bottom of the stairs.
- Consider putting light switches at both the top and bottom of the stairs.

Check the BATHROOMS:

- Put non-slip rubber mats or self-stick strips on the floor of the tub or shower.
- Consider installing grab bars for support getting in or out of the tub or shower, and up from the toilet.

MyMobility Tip

Falls are more likely when wearing inappropriate footwear, such as flip flops that don't cover the heel.

Wear safe shoes that fit well, have a firm heel to provide stability, and have a textured sole to prevent slipping.

For more home modification information and resources:
<https://go.usa.gov/xUEs3>



Finish your plan by filling out the table below.

Think of all the places you go and how you get there.

Then, consider how you would get to these same places if you couldn't use your current way.

Find transportation options in your ZIP code:

- Rides in Sight
1-855-607-4337
www.ridesinsight.org

Ride share services can help keep you connected to family and friends. Staying social helps maintain quality of life as you age.

Where do I go now? (Such as doctor, grocery store, or physical activity class)	How do I get there now? (Such as drive, get a ride, or use public transportation)	How will I get there in the future? (Such as bus, rideshare, or ride with a friend)
<i>Meet friends for lunch</i>	<i>Drive myself</i>	<i>Get a ride from a friend</i>

Consider a driver refresher course.

Some insurers give a discount on your car insurance for taking a course:

- AARP (888) 687-2277 or www.aarp.org
- AAA (800) 222-4357 or www.aaa.com

MyMobility Tip 

Practice safe behaviors, such as always wearing a seatbelt, as a driver or a passenger.

For more information visit:

www.cdc.gov/motorvehiclesafety/older_adult_drivers/mymobility

Exercises for Fall Prevention

Physical activity is the single most important thing you can do to reduce your fall risk

Chair Rise Exercise

Instruction

- Begin sitting at edge of chair
- Feet flat on the floor
- Arms across chest
- Stand up fully, then sit down slowly with control
- Do as many as you can (with control) in 30 seconds



Why Do It?

- ❖ Inability to stand up and sit down repeatedly without the use of arms is a risk for falls

Check your risk

Number of stands in 30 seconds
Values below norms listed indicate risk for falls

Age	Male	Female
60-69	12	11
70-79	11	10
80-89	8	8

If Too Difficult:

- Stand from a higher surface such as a bed
- Add a cushion to the chair
- Use hands on arm rests or hands on thighs to help push up
- Have a family member stand next to you



To Add More Challenge:

- Try to take 5 or more seconds to lower
- Rise up **quickly** with speed and control
- Sway arms up overhead as you stand
- Place one leg slightly more forward
- Place one leg slightly out to side
- Stand up as shown, then take a step and reach as if about to get out of a chair to shake someone's hand
- Sit part of the way down, then rise to stand
- Have a family member tell you to quickly (and randomly) **change** your movement to either standing or sitting
- Try with eyes closed—have family member next to you initially for safety
- Do any of the variations in combination

Safety First:

- ❖ **Make sure your doctor has cleared you to exercise before attempting!**
- ❖ **Do not attempt this exercise or any variations unless you feel safe.**
- ❖ **Stop this exercise or make it easier if you notice pain, shortness of breath or racing heartbeats.**

Exercises for Fall Prevention

Physical activity is the single most important thing you can do to reduce your fall risk

Ankle Sways

Instruction

- Begin standing with feet hip-width apart
- Have a chair in front of you for safety
- Shift your weight to the right side as far as possible, then return to center
- Repeat to the left side
- Keep your feet flat on the floor
- Do not bend at the waist.
- Imagine that you are a tree swaying and make your movement come from the ankle
- See how far you can shift



Why Do It?


- ❖ The ability to make small adjustments at the ankle is critical for balance
- ❖ Research has shown that repeated fallers are less able to react at the ankles to maintain balance
- ❖ The greater you can shift your weight without bending at the waist, or taking a step, the greater your “limits of stability” which will allow you to do more activities with greater confidence

If Too Difficult:

- Stand with feet wider apart
- Stand in a corner with a chair in front
- Have a family member stand next to you
- Begin with tiny slow movements

To Add More Challenge:

- Stand with feet closer together
- Add different directions (see graphic)
 - Note: backward sways most challenging
- If able, let go of the chair and pretend to hold an imaginary ball or gently reach with an arm in the direction that you are shifting your weight, but do NOT bend at the waist
- Vary the speed: slow, fast
- Pause at the farthest point that you can shift
- Avoid stopping in the center, make random patterns as you shift



Safety First:

- ❖ **Make sure your doctor has cleared you to exercise before attempting!**
- ❖ **Do not attempt this exercise or any variations unless you feel safe.**
- ❖ **Stop this exercise or make it easier if you notice pain, shortness of breath or racing heartbeats.**

Exercises for Fall Prevention

Physical activity is the single most important thing you can do to reduce your fall risk

Weight-Shifting

Instruction

- Stand behind a chair with one foot forward at a diagonal as shown
- Keep feet flat on the floor
- Start by shifting all your weight onto the back leg
- Then shift all your weight onto the forward leg
- Extend an arm gently forward, but do NOT bend at the waist
- See how far you can shift your weight in each direction



Why Do It?

- ❖ This exercise works on balance needed just before taking a step forward or backwards

If Too Difficult:

- Widen your stance
- Start with small slow movements
- Have a family member stand beside you

To Add More Challenge:

- Shift further forward and lift back heel up
- Shift farther back and raise front toes up
- Vary the speed: slow, fast
- Pause at furthest limit
- Try not to hold chair



Safety First:

- ❖ **Make sure your doctor has cleared you to exercise before attempting!**
- ❖ **Do not attempt this exercise or any variations unless you feel safe.**
- ❖ **Stop this exercise or make it easier if you notice pain, shortness of breath or racing heartbeats.**

Transportation Resources

Volunteer/No Cost Transportation

Sound Generations Volunteer Transportation: 206-448-5740

<https://soundgenerations.org/our-programs/transportation/volunteer-transportation/>

- Patient must live in King Co, age 60+, able to transfer into a vehicle with minimal assistance.
- Rides must be called in the Tuesday prior to any appointments the following week.

Hyde Shuttle: 206-727-6262

<https://soundgenerations.org/our-programs/transportation/hyde-shuttle/>

- Door to door van service for adults 55+ and adults with disabilities in many King County cities.
- Operates 8 AM-4 PM and shuttles only travel inside city limits of participating cities. See website for current list of cities participating.

Catholic Community Services Volunteer Transportation: 844-851-9380

<https://ccsww.org/get-help/services-for-seniors-people-with-disabilities/volunteer-services/volunteer-services-king-county/>

- Limited services at this time due to COVID-19, some outside yard work and grocery/medication deliveries

HopeLink: 800-923-7433

<https://www.hopelink.org/need-help/transportation>

- For Medicaid clients only (that have Apple Health or have CNP/CNP-QMB)

Fee-based transportation

TriMed Cabulance: 206-988-5000

<https://www.trimedambulance.com/cabulance/>

- Fees approximately \$85 one-way, services King County.

Northwest Transport: 800-600-9225

<http://www.nwt1cabulance.com/>

- Non-emergency cabulance and ambulatory transport for King, Pierce and Snohomish County. See website for rates. Door to door service.

Around the Sound: 253-858-7088

<https://atstrans.org/medical-transportation/>

- Non-emergency cabulance transportation, serves Puget Sound area

Tri-County Cabulance: 206-553-1003 or 425-775-8358

<http://tricitycabulance.com/>

- Non-emergency cabulance transportation, serves King and Snohomish County

Help Lines

Search tool for transportation services in King, Pierce and Snohomish County (tools for VA and Medicaid transportation, also regional transit trip planning resources): www.findaride.org

Hopelink Mobility Line (one-on-one support with finding transportation options): 425-943-6760 option 2

Home Health Agencies

Amicable Home Health	Intake Phone: 206-444-7410 Intake Fax: 206-926-9212 Office Phone: 206-444-7410 Office fax: 206-246-0562	Services King, Pierce and Snohomish County
Assured Home Health Renton	Phone: 425-336-0008 Intake Fax: 844-238-0067 Office fax: 425-336-0010	Services south of downtown Seattle, South King County and some Eastside King County
Assured Home Health Puyallup	Phone: 253-838-7916 Intake Fax: 844-238-0067 Office fax: 253-838-7094	Services Pierce County
Assured Home Health Mountlake Terrace	Phone: 206-364-1484 Intake Fax: 844-238-0067 Office fax: 206-364-1286	Services downtown Seattle and north, also Kirkland, Redmond, and Woodinville
Brookdale Home Health	Phone: 206-417-7700 Intake/office fax: 206-417-7701	Services King and Snohomish Counties
Careage Home Health King County	Phone: 425-519-1265 Intake/office fax: 425-861-7879	Services King County
Careage Home Health Pierce County	Phone: 253-254-6933 Intake/office fax 253-507-7099	Services Pierce County
CHI Franciscan Home Health	Phone: 253-534-7090 Intake Fax: 253-534-7610	Services Pierce County
Eden Home Health	Phone: 206-717-8161 Intake/office fax: 206-899-1641	Services King County
Envision Home Health King County	Phone: 206-452-0058 Intake/office fax: 844-500-0721	Services King County
Envision Home Health Pierce County	Phone: 253-509-5004 Intake/office fax: 844-500-0721	Services Pierce County
Evergreen Home Health	General phone: 425-899-3300 General fax: 425-899-1016 Intake phone: 425-899-3970 Intake fax: 425-899-3228	Services King and Snohomish counties
Kindred at Home (Bellevue)	Phone: 425-827-2415 Intake fax 877-814-1971	Services Renton north-King County
Kindred at Home (Kent)	Phone: 253-395-5133 Fax: 253-395-8746 Intake Phone: 253-395-3470 Intake Fax: 888-814-1970	Services Renton south-King County
Kindred at Home (Puyallup)	Phone: 253-435-9953 Intake Fax: 888-914-5978	Services Pierce County
Kindred at Home (Seattle)	Phone: 206-729-7773 Intake fax: 1-888-814-1968	Services greater Seattle area
Kline Galland Home Health	Phone: 206-805-1930 Office/intake fax: 206-805-1931	Services King County

Multicare Home Health	Phone: 253-301-6400 Intake/office fax: 253-301-6528	Services Pierce County
Providence Home Health	Phone: 425-525-6800 Intake/office fax: 425-525-6825	Services King County
Puget Sound Home Health	Phone: 253-581-9410 Fax: 253-581-9207	Services King and Pierce counties
Signature Home Health	Phone: 253-661-5166 Intake/Office Fax: 866-567-6279	Services King/Pierce/Snohomish/Skagit/Whatcom counties
Wesley Homes Home Health	Phone: 206-870-1127 Intake/office fax: 206-870-4165	Services King and Pierce Counties

*Please contact the individual agencies for specific zip codes served and current availability.

Durable Medical Equipment Suppliers

MOBILITY EQUIPMENT SUPPLIERS

Company	Address	Phone	Website/Other
Access Medical Equipment Co	4300 Talbot Rd S #106; Renton WA 98055	Phone: 425-228-2210	(Formerly Cornell's). Does rentals of medical equipment as well as sales, they do not bill insurance.
American Seating and Mobility	170 Stewart Rd SW, Pacific WA 98047	Phone: 253-896-3535; FAX: 866-557-6939	www.as mrehab.com
Bath+ (division of Bellevue Healthcare)		Phone: 425-941-2258	www.bath-plus.com Bathroom Modifications, Home accessibility, and lifts
Bellevue Healthcare		Phone: 866-451-2842 Fax: 425-467-6661	https://bellevuehealthcare.com/Documents/BHC-Contracted-Insurance-List-2021.pdf Multiple DME items, contracted with Medicare/Medicaid, and multiple other plans, contracted list is here:
Lincoln Pharmacy	821 S 38th St; Tacoma WA 98418	Phone: 253-473-1155 Fax: 253-473-1158	www.lincolnrx.com Manual wheelchairs, home health care/medical/bariatric supplies,diabetic shoes and inserts. Will bill Medicare and most insurance companies.
MD Medical Supplies	7687 S 180th St; Kent WA 98032	Phone: 425-556-1490 Fax: 425-867-5087	https://www.mdmedicalsupplies.com Contracted with Medicare/Medicaid
National Seating and Mobility	34310 9th Ave S Suite 105; Federal Way WA 98003	Phone: 360-532-2222 Fax: 360-533-4320	https://www.nsm-seating.com/
Norco Seattle	4135 Stone Way N Seattle WA 98103	Phone: 206-547-2200 Fax: 206-971-3883	https://www.norco-inc.com/
Norco Tacoma	1902 Tacoma Ave S; Tacoma WA 98402	Phone: 800-735-7156 Fax: 253-474-4869	https://www.norco-inc.com/
Northwest Access Fund		Phone: 206-328-5116	https://pacmedicalop.com/ Low interest loans for assistive technology
Numotion Seattle		Phone: 206-204-3330 Fax: 206-204-0131	www.numotion.com
Numotion Tacoma	11106 25 th Ave E #A; Tacoma WA 98445	Phone: 253-830-2020 Fax: 253-537-0208	www.numotion.com
Professional Medical Corp	12733 28 th Ave NE; Seattle WA 98125	Phone: 800-741-3996 Fax: 888-741-3997	https://professionalmedicalcorp.com Contracted with WA Medicaid, also services COPES and MAC/TSOA clients for approved supplies
Ramp Arts		Phone: 206-440-9999	www.rampartsnw.com Home ramp installation, free estimates
Sound Health Medical	2811 S 12th St; Tacoma WA 98405	Phone: 253-274-5000	www.soundhealthmedical.com Multiple mobility items, Medicare-contracted

DISCOUNT/DONATED EQUIPMENT

Company	Address	Phone	Website/Other
Access Medical Equipment Co	9550 Aurora Ave N; Seattle WA 98013	Phone: 206-365-7700	www.accessmedicalequipment.com No insurance billing, offers used equipment and rental options
Bridge Ministries	12340 Northup Way, Bellevue WA 98005 or 1120 Industry Drive, Tukwila WA 98188	Phone: 253-277-2041 (Tukwila) or (425)-628-1751 (Bellevue)	www.bridgemin.org Donated equipment (free or low cost)
Discount Medical Supply	5510 6th Avenue; Tacoma WA 98406	Phone: 253-752-7900	New and pre-owned equipment, rentals, no insurance billing
Maple Valley Community Center Lending Closet		Phone: 425-432-1272	Call for available inventory
MSHH Donor Closet	409 Howell Way, Edmonds WA or 3635 S Lawrence St, Tacoma WA	Phone: 425-712-1807 (Edmonds) 253-327-1033 (Tacoma)	Low cost refurbished DME, locations in Tacoma and Edmonds http://www.mshh-donorcloset.com/
Wheelchair Haven	8411 Pacific Hwy E; Tacoma WA 98422	Phone: 253-926-8971 Fax 253-926-2488	New and pre-owned mobility equipment, rent-to-own option, no insurance billing

Durable Medical Equipment Charting Tips for Providers:

<https://bellevuehealthcare.com/partners/partner-resources/>

Apple Health/Medicaid Durable Medical Equipment Guides: <https://www.hca.wa.gov/billers-providers-partners/programs-and-services/durable-medical-equipment-dme>

Home Assessment and Repair

Organization/Company	Phone	Notes
King County EMS Fall Prevention (One Step Ahead)	206-263-8544	Free program, 50+, King County resident and have fallen within the past 6 months and called 911. Home safety walk, education, installation of fall safety devices as determined. For private homes only https://kingcounty.gov/depts/health/emergency-medical-services/community/fall-prevention.aspx
King County Housing Repair	206-263-9095	Provides funding for housing repair services to low-income homeowners and special needs renters in King County https://kingcounty.gov/depts/community-human-services/housing/services/housing-repair.aspx
Valley Regional Fire Authority CARES	253-288-5887 Email: askthervfa@vrfa.org	Trained staff from King County Emergency Medical Services (EMS) will assess patients' risk for falling and survey the home for safety. They will receive recommendations for preventing falls and possibly installation of assistive devices free of charge. To request a free evaluation of fall risk in the home, contact the CARES team (servicing the cities of Algona, Auburn, and Pacific) https://www.vrfa.org/docs/fall-prevention/
Puget Sound FD CARES	253-856-4300	Serves Kent/Covington/Maple Valley/Seatac https://pugetsoundfire.org/fdcare/
City of Seattle Home Repair	206-684-0244	Serves city of Seattle residents https://www.seattle.gov/housing/homeowners/home-repair
Sound Generations Minor Home Repair program	206-448-5751	Serves Seattle/Shoreline Bellevue area https://soundgenerations.org/our-programs/minor-home-repair/
Covington Minor Home Repair	253-480-2411	Serves Covington city limits
Des Moines Minor Home Repair program	206-870-6535	Serves Des Moines city limits
Kent Minor Home Repair program	253-586-5065	Serves Kent city limits
Renton Housing Repair Assistance	425-430-6693	Serves Renton city limits
Seatac Minor Home Repair program	206-973-4815	Serves Seatac city limits
Tukwila Minor Home Repair program	206-433-7180	Serves Tukwila city limits
Habitat for Humanity Home Repairs	206-855-5083	Eligible to apply if you live in SE Seattle, White Center, SE Renton, Federal Way, Glendale, Bryn Mawr and Skyway and meet income requirements https://www.habitat.org/volunteer/near-you/home-preservation

Rebuilding Together Seattle	206-682-1231	Serves greater Seattle area http://www.rtseattle.org/
Rebuilding Together South Sound	253-238-0977	Serves Pierce County and cities of Federal Way and Auburn. Also has a volunteer ramp build in October https://rebuildingtogether.org/
Rampathon	425-860-8232	Currently on hold due to COVID-19 https://www.mbaks.com/community/rampathon
ALTSA (Aging & Long Term Support Administration)	1-800-422-3263 option #6	If you are covered by Medicaid, COPES or have developmental disability, you may be able to get financial assistance with home modifications
Triumph Foundation	661-803-3700	assists people with spinal cord injuries get necessary adaptive equipment for ADLs, home modifications for wheelchair accessibility https://triumph-foundation.org/
Multiple Sclerosis Foundation		Assistive Technology program for those with MS diagnosis, includes home and vehicle modifications. Application online at https://msfocus.org/Get-Help/MSF-Programs-Grants/Assistive-Technology-Program
Bryon Riesch Paralysis Foundation	262-547-2083	For those with neurological disorders (preference going to spinal cord injuries), request should be for a specific item or modification https://brpf.org/charitable-grant-application/